

FILE

Certificate

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry. Microbiology, and Technical Services

CLIENT: Alaskan Copper Works

P.O. Box 3546 Seattle, WA 98124 ATTN: Raphael LABORATORY NO. 17265

DATE: July 28, 1989

PO# M10561

REPORT ON: PLASMA TANK EFFLUENT

SAMPLE

IDENTIFICATION: Submitted 06/28/89 and identified as shown below:

6-27-3317-M10561

TESTS PERFORMED AND RESULTS:

The 96 hour static fish bioassay was performed in accordance with Washington State Department of Ecology methods (DOE 80-12), with results shown below.

96 HOUR STATIC FISH BIOASSAY

Description of Waste

Liquid

#### Description of Test Set Up

The test was performed in triplicate at concentrations of 1000 ppm, 100 ppm, and 0 ppm in glass aquaria (8" x 10" x 14") containing 30 liters of tap water. Light was provided with fluorescent lamps for 18 hours per day. All test and control aquaria contained 10 organisms. The tanks were aerated during the first 24 hours of the test period only. The test was started on 07/10/89. The waste was added to the tanks directly.





Certificate

Chemistry Microbiology and Technical Services

PAGE NO. 2

LABORATORY NO. 17265

Alaskan Copper Works

## Test Organism Information:

Species:

Mean Weight:

Mean Length: Longest:

Shortest:

Ratio (long/short):

Ratio of flesh to water:

Source of test organisms: Kurtz Fish Hatchery Diseases observed:

Food used:

History:

Pimephales promelas (fathead minnow)

0.87 grams

4.8 cm 5.1 cm

4.6 cm 1.1

0.29 grams/L

None

Wardley's dry flake food for large cichlids Fish were acclimated at least two weeks prior to the test

## Observations of Effects or Symptoms:

None

# Mortalities Observed in 30 test organisms:

	<u>Mortalities</u>	%
1000 parts per million	0	0
100 parts per million	0	0
control	0	0





Certificate

Chemistry Microbiology, and Technical Services

PAGE NO. 3

LABORATORY NO. 17265

Alaskan Copper Works

Water Chemistry Results: (mean ± standard deviation)

	1000 ppm	100 ppm	<u>control</u>
Dissolved Oxygen, mg/L pH Temperature, degrees C Hardness, mg/L Alkalinity, mg/L Conductivity, micromhos/cm	$6.8 \pm 1.1 \\ 7.0 \pm 0.3 \\ 22. \pm 0.0 \\ 130. \pm 13. \\ 22. \pm 0.0 \\ 210. \pm 5.0$	$6.8 \pm 1.1 \\ 7.0 \pm 0.3 \\ 22. \pm 0.0 \\ 120. \pm 5.0 \\ 22. \pm 0.0 \\ 210. \pm 0.0$	$6.8 \pm 1.1 \\ 7.0 \pm 0.2 \\ 22. \pm 0.0 \\ 120. \pm 3.7 \\ 22. \pm 0.0 \\ 210. \pm 5.0$

### Conclusions

Based on an evaluation of test mortalities (corrected for control mortality), this waste would be classified as undesignated waste.

## Water Chemistry Test Methods

Dissolved Oxygen	SM*, part 421B
pH	SM, part 423
Total Hardness	SM, part 314B
Total Alkalinity	SM, part 403
Specific Conductance	SM, part 205

\*SM = Standard Methods, 15th edition





Certificate

Chemistry Microbiology, and Technical Services

Alaskan Copper Works

PAGE NO. 4 LABORATORY NO. 17265

Respectfully submitted,

Laucks Testing Laboratories, Inc.

J. M. Owens

JMO:emt







Invoice

Chemistry Microbiology, and Technical Services

CLIENT: Alaskan Copper Works

P.O. Box 3546

Seattle, WA 98124

ATTN: Raphael

INVOICE NO. 17265

DATE: July 28, 1989

PO# M10561

For the analysis of PLASMA TANK EFFLUENT - \$500.00



